





Kirami Kirami FinVision® -lounge M Misty

TW Deep Black Annex, Thermotreated Aspen



WEIGHT:	950 kg
PRODUCT LENGTH:	230 cm
PRODUCT WIDTH:	221,8 cm
PRODUCT HEIGHT:	255 cm
OUTER COLOR :	TW Deep Black Annex
INNER COLOR :	Thermotreated Aspen



6430036757311

An outdoor building that is suitable for many different uses

The Kirami FinVision® -lounge M Misty is a complete, separate module with finished walls. It fits seamlessly with the other Kirami FinVision® Misty modules or can be used as a stand-alone building. There is enough space for different interior design options depending on the intended use of the building. For example, the lounge can be used as a relaxation area or remote working space. The lounge can be furnished with a Kirami FinVision® -sofa set and rug or other furniture of your choice.

High-quality surface materials

The surface materials of Lounge M are the same as in other Misty modules: The outer shell of the Lounge is a sleek, heat-treated softwood (* spruce) panel. The stylish and deep black surface-treated thermal wood is long-lasting, and the color protects the wood from dirt and UV radiation. This easy-care exterior cladding completes the lounge's modern and stylish look. The interior surfaces of the lounge are heat-treated hardwood (* aspen). The floor, walls and ceiling of the lounge are insulated, making the space comfortable to use all year round.

All the glass surfaces in the lounge and other modules are the same shade and let in plenty of light. In Lounge M, there is one large window from which it is wonderful to admire the outdoor scenery. The double-glazed window made from grey, tempered, selective glass also improves the lounges's energy efficiency, and the argon gas between the panes acts as an insulator. The panoramic window has a dark tint, which gives a wonderful balance

and gentle feeling to the beautiful view.

A smoky grey lockable glass door with a black wooden frame creates a cosy atmosphere and a sense of space in the lounge. The high-quality thermal glass door is of solid construction, and stays shut well. The number of doors of lounge M depends on the customer's choice and whether lounge M is installed next to the sauna or as a separate module.

Lounge M comes with lighting and sockets pre-installed. A strip light on the rear wall provides soft light for a more relaxed feel, while two Led spots in the ceiling illuminate the whole room more brightly. The light switch is a two-piece switch, so the strip and spots can be switched on at the same time or separately from their respective switches. There are plenty of sockets for many devices in this set-up. There are two socket boxes in total, each with two plug sockets. The boxes are placed on each side wall. In this "plug and play" lounge, all electrical connections have been made, meaning they are ready for use immediately after installation. The plug can be found outside the building on the back wall.

Let the Kirami FinVision® -lounge M be your canvas and paint your ideal garden space with its versatile options. The boundless potential is only tethered by the reins of your imagination!

**We reserve the right to material changes, if the raw material prices and/or availability of the products change significantly during the validity period. We try to keep the quality of the material at least the same as the original, despite the change of material.*

As a standard the exterior door is on the right side of the lounge and it opens up right-handed

The lounge module has two door openings when attached to another module with a door opening. One of them is equipped with an exterior door that provides access to the outside. The existing door in the sauna building serves as a door between the sauna/* and the lounge, so that no further door is required in the lounge module.

All doors in the modules are of the same design and size. The sauna door has a wooden door handle and roller latch and an external lock set that includes a latch, padlock and 2 keys. The lounge door has a black Abloy handle and a key-operated lock.

If you order the lounge at the same time as the sauna/*

If the sauna/* and lounge are ordered at the same time, it is possible to change the opening direction of the sauna door as a mirror image. With the right-sided sauna, the door normally opens on the right. If the sauna is combined with a lounge, the opening direction of the door is changed to left-opening.

If you order the lounge afterwards

When ordering a lounge, it is important to know what the opening direction of the sauna/* door is and how the opening direction can be changed by the customer when the lounge is attached to the sauna. Wider cover plates are supplied with the lounge. The existing cover plates of the sauna* are removed and replaced with the new cover plates supplied with the lounge (see instructions for replacing the cover plates). The customer can change the opening direction of the sauna/* door if they wish. A connecting sheet is supplied to connect the sauna building to the lounge (see instructions for fitting the connecting sheet).

The lounge M connected to a sauna

The roof of the lounge is the same as that of the Misty sauna/*, so the two can be easily connected. The lounge is placed directly attached to the sauna and connected at the transport supports. Wider cover plates are attached to the door between the sauna/* and the lounge to cover the transition between the buildings. The roof is connected at the intermediate walls with a wider U-profile sheet.

**Other module with exterior door openings, e.g. Sauna, dressing room. New modules are being manufactured all the time, and some of the modules have their own exterior door, which must be taken into account when connecting other modules with exterior doors.*

Product code: 3651

Harvia code: KIR-3651

Also get accessories



**Kirami FinVision® -terrace M
Misty**



**Kirami FinVision® -terrace S
Misty**



**Kirami FinVision® -sauna M
Misty (Right), Harvia Virta
Combi 10,8 kW**



**Kirami FinVision® -sauna M
Misty (Left), Harvia Virta
Combi 10,8 kW**